



**RFP031815**

**Addendum #1**

**Posted Date: 03-27-2015**

**Specs on Various Plumbing.**

The following details certain specs for shower valve, slide bar, toilet and trim.

**Commode: Bowl-KOHLER- K4199-0 A.D.A WITH SEAT, TANK- KOHLER-K4468-0**

**SHOWER ROUGH IN VALVE- DELTA-DR10000IPWS A.D.A. WITH DELTA DBT13410 TRIM FOR A.D.A.**

**SLIDE BAR FOR SHOWER HEAD TO HAVE SAME FINISH AND MEET A.D.A. REGULATIONS**

**THE CEILING OF SHOWER TO BE DRYWALL WITH SEMI-GLOSS PAINT. MAKE SURE THE BUMP TO GET INTO THE SHOWER MEETS A.D.A. REGULATIONS.**

**THE SHOWER DRAIN IS TO BE BRASS SCREW-IN AND NOT PVC.**

**THE COPPER CONNECTIONS THAT WILL BE LEFT UNDER YOUR NEW POURED CONCRETE SHALL BE SODERED WITH SIL-FOSS.**

Please sign and date below and attach addendum to the bid package submitted.

I, by signing below acknowledge receipt of the posted addenda, and understand that it becomes part of the bid package for submission.

Signature: \_\_\_\_\_

Date: \_\_\_\_\_