



Date: March 22, 2017

To: Proposers

Ref: RFP PG-005-17 TSTC Water & Wastewat Line Replacement for Waco

Subject: **ADDENDUM NO. 01**

This addendum amends, clarifies, amplifies, or further explains the above reference Request for Proposal (RFP). The information contained herein shall supersede and take precedence over the information contained in the RFP.

1. The date for the Mandatory Pre-proposal Walk-through as referenced in section **1.4 Key Events Schedule** is hereby changed to **Thursday, March 30, 2017, at 10:00 A.M.**
2. The date for the Deadline for Submittal of Questions as referenced in section **1.4 Key Events Schedule** is hereby changed to **Monday, April 3, 2017, at 2:00 P.M.**
3. In addition to submitting the RFP submittals to Pedro Guardiola TSTC Service Support Building 1902 N. Loop 499 Harlingen. Texas. The RFP submittals **may** also be submitted to:

Elise Wells (Senior Buyer)  
Texas State Technical College  
Patterson Hall Building  
103 10th Street  
Waco, Texas 76705

All RFP submittals must be received at either of these two locations according to page 3 section 1.3 (Submission of Proposal) on or before Wednesday April 12, 2017 at 2:00 P.M.

**General Conditions**

**Q:** Is there a bid bond required with the bid? If so, at what percentage of the maximum bid price?

**A:** Add the following new paragraph immediately after Paragraph 16.1.1:

16.1.1.1 A Bid security is required and shall be made payable to Owner in the amount of five (5) percent of the maximum Bid price – to include the Base Bid and all Additive Alternates – and in the form of a Bid Bond issued by a surety meeting the requirements as set forth in Paragraph 5.1 of the Uniform General Conditions. The Bid security will be retained until the executed contract and other required contract securities are furnished to the Owner, whereupon the Bid security will be returned.

**Clarifications**

**Q:** Is the HDPE pipe to be used for waterlines IPS or DIPS?

**A:** All HDPE pipe and fittings to be used for waterline improvements shall be DIPS.

**Q:** Is there a specification for CCTV Inspection of existing lines?

**A:** Reference “Part 3 Execution” of Specifications 33 01 37 – Pipe Bursting of Gravity Sewer Mains and 33 01 38 – Pipe Bursting of Potable Water Mains for required pre- and post-construction CCTV procedures.

Pedro Guardiola

Pedro Guardiola  
Buyer  
Phone: (956) 364-4428  
Pedro.guardiola@harlingen.tstc.edu

**In submission of this proposal, proposers must acknowledge receipt of this addendum; otherwise proposal will not be given consideration. Proposer must acknowledge receipt by returning a copy of this notice with (RFP) Request for Proposal.**

**Proposer's Signature:** \_\_\_\_\_

**Printed Name:** \_\_\_\_\_

**Vendor Name:** \_\_\_\_\_

**Vendor Identification Number:** \_\_\_\_\_

**Date:** \_\_\_\_\_



*Clark W. Gauher, P.E.*